

Dated : 27/09/2019

QUOTATION NOTICE (DATED 14/09/2019) FOR LADIES TOILET

EXTENSION OF LAST DATE OF SUBMISSION

It is hereby notified for all concerned that THE LAST DATE OF SUBMISSION of Quotation to the "Drop Box" HAS BEEN EXTENDED AND LAST DATE OF SUBMISSION OF THE QUOTATION IS **30TH September, 2019 (upto 12 Noon).**

> Muniduf Charles Principal SHIBPUR DINOBUNDHOO INSTITUTION (COLLEGE)

Office of the Principal NIT B&DC /1/09-19

Quotations, in sealed covers and addressed to the undersigned, are invited for renovation and expansion of the ladies washroom attached to the faculty & staff common room of the college. The job details and value as per PWD schedule are enlisted as follows.

| SL. NO. | Description of Item | Quantity | Unit | Rate(₹) | Amount |
|----------|--|----------|------|---------|----------|
| 1.(p- | Dismantling all types of masonry | 1.60 | Cum | 497 | 795.00 |
| 10/i-1) | excepting cement concrete etc. | | | | |
| 2.(p- | Cutting chase upto 125 x 150 mm. and | 17.40 | Mtr | 90 | 1566.00 |
| 12/i-11) | subsequentmending of damages. | | | | |
| 3.(p- | Hire and labour charges for shuttering | 13.65 | Sqm | 425 | 5801.00 |
| 43/i-36) | with centering and necessary staging | | | | |
| | upto 4 m using approved stout props and | | | | |
| | thick hard wood planks of approved | | | | |
| | thicknessetc. | | | | |
| | (a) 25 mm to 30 mm thick wooden | | | | |
| | shuttering | | | | |
| | (e) Extra for staging beyond 4 m in any | | | | |
| | floor | | | | |
| 4.(p- | Reinforcement for reinforced concrete | 0.315 | MT | 58146 | 18316.00 |
| 43/i- | work in all sorts of structures | | | | |
| 40(i)) | including distribution bars, stirrups, | | | | |
| | binders etc. | | | | |
| 5.(p- | Ordinary Cement concrete (mix 1:1.5:3) | 1.98 | Cum | 4321 | 8556.00 |
| 26/i-10) | with graded stone chips (20 mm | | | | |
| | nominal size) (i) Pakur Variety. | | | | |
| 6.(p- | 125 mm. thick brick work with 1st class | 32.00 | Sqm | 755 | 24160.00 |
| 16/i-16) | bricks in cement mortar (1:4) in | | | | |
| | ground floor. | | | | |
| 7.(p- | Brick work with 1st class bricks in cement | 1.00 | Cum | 5547 | 5547.00 |
| 16/i-13) | mortar (1:6) | | | | |
| | (b) In superstructure, 1 st floor | | | | |
| 8.(p- | Plaster (to wall, floor, ceiling etc.) with | 71.25 | Sqm | 184 | 13110.00 |
| 189/i-1) | sand and cement mortar | | | | |
| | (ii) With 1:4 cement mortar | | | | |
| | (a) 20 mm thick plaster | | | C/5 | 77054.00 |
| | 1 st Floor | | | C/F | 77851.00 |

| 9.(p- 64/i-35) | Supplying, fitting & fixing 1st quality Ceramic tiles | | | | |
|-------------------------|---|-------|-----|--------------|---------------------|
| | A) Floor With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick b) Area of each tile above 0.09 Sq.m (i) Coloured decorative (B) Wall With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick (a) Area of each above 0.09 Sq.m | 8.40 | Sqm | 903 | 7585.00 49685.00 |
| | (i) Coloured decorative. | 43.23 | Jun | 1050 | 49089.00 |
| 10.(p- 128/ i-19) | Supplying, fitting & fixing factory made foam PVC door frame (finished weight of 2.73 kg/mtr.) of size 100mm X 45mm etc. b) Pre-laminated Colour. | 9.90 | Mtr | 562 | 5564.00 |
| 11.(p- 129/ i-20) | Supplying, fitting & fixing factory made solid panel foam PVC (density shall not be less than 600 kg/cum) door shutter consisting of 19 SWG thick M.S. tube of size 40mm X 20mm for styles and top etc. In Ground floor. 30mm thick single leaf shutter with 10mm thick panel. (b) Pre-laminated Colour. | 4.725 | Sqm | 3132 | 14799.00 |
| 12.(p- 100/i-2) | M.S. structural works in roof trusses with tubular sections conforming to IS: 806-1968 & IS: 1161- 1998 i) For trusses spanning up to 12.00 m | 0.200 | MT | 59468 | 11894.00 |
| 13.(p- 82/i-14) | Supplying, fitting & fixing Zn-Al alloy (55% Al & 45% Zn) coating of 150 grams per sq. metre etc. (i) In Roof:- a) With 0.5 mm thick sheet | 11.52 | Sqm | 896 | 10322.00 |
| 14.(p- 245 /i-15) | Supplying,fitting& fixing of 2-Track / 3- Track Aluminium sliding Window of all Aluminium sections viz. window frame etc. | 9.90 | Kg | 448 | 4435.00 |
| 15.(p- 243 /i-9) | Supplying bubble free float glass of approved make and brandconforming to IS: 2835-1987.vi) 6mm thick coloured / tinted / smoke glass. | 1.80 | Sqm | 661 C/F | 1190.00 |
| | | | | <i>C</i> , ' | |

| 16.(p-195 /i-7) | Applying Exterior grade Acrylic primer of approved quality and brand (b) Two Coats | 224.75 | %Sq m | 4518 | 10154.00 |
|------------------------|--|--------|----------|------|-----------|
| 17.(p-197 /i-16) | Protective and Decorative Textured exterior high class matt finish paintof approved quality, composed of special Tharmoplastic Resin. | 224.75 | Sqm | 101 | 22699.00 |
| | SANITARY AND PLUMBING PART:- | | | | |
| 17.(p-13 /i-19(ii)) | Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992 (A) (i) Single Socketed 3 Meter Length i)110mm dia | 15.00 | Mtr | 350 | 5250.00 |
| | (B) Fittings | | | | |
| | (iii) Door Tee-110mm | 3 | Each | 195 | 585.00 |
| | iv)Door Bend (LH) & (RH)-110mm | 4 | Each | 284 | 1136.00 |
| 18.(p-79 /i-3) | Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete in position with necessary bolts, nuts etc. (a) With 'P' trap (with vent) | 1 | Each | 3104 | 3104.00 |
| 19.(P-81 /i-10(b)) | Supplying, fitting and fixing Closet seat of approved make with lid and C.P.hinges, rubber buffer and brass screws complete. (b) Anglo Indian (ii) Plastic (hallow type) white | 1 | Each | 485 | 485.00 |
| 20.(p-80 /i-7) | Supplying, fitting and fixing Squating plate with integral flushing in white (i) 450 mm X 350 mm | 1 | Each | 881 | 881.00 |
| 21.(p-41 /i-2(ii)) | Supplying, fitting and fixing white vitreous china best quality approved | 2 | Each | 2208 | 4416.00 |
| | make wash basin with C.I. brackets on 75 | | Ì | C/F | 232035.00 |

| 22/2 02 | Cumplying fitting and fiving best suggitu | 2 | Leal | C12 | 1220.00 |
|-----------|--|-------|----------|------|-----------|
| 22.(p-82 | Supplying, fitting and fixing best quality | 2 | Each | 613 | 1226.00 |
| /i-9) | Indian make mirror 5.5 mm thick | | | | |
| | with silvering as per I.S.I. specifications | | | | |
| | supported on fibre glass frame of | | | | |
| | any colour, frame size 550 mm X 400 mm | | <u> </u> | | |
| 23.(p-82 | Supplying, fitting and fixing towel rail with | 2 | Each | 430 | 860.00 |
| /i-22(a)) | two brackets. | | | | |
| | (a)C.P. over brass | | | | |
| | (ii) 25 mm dia. and 600 mm long | | | | |
| 24.(p- | Supplying, fitting and fixing glass shelf with | 2 | Each | 480 | 960.00 |
| 81/i-16) | aluminium guard rails. | | | | |
| | (a) Ordinary type with 5.5 mm sheet | | | | |
| | glass | | | | |
| | (b) <i>(ii) 600 mm X 125 mm</i> | | | | |
| 25.(p- | Supplying, fitting and fixing liquid soap | 4 | Each | 210 | 840.00 |
| 82/i-17) | container. | | | | |
| | (b) PTMT(Prayag or equivalent) | | | | |
| 26.(p- | Supplying, fitting and fixing CPVC | 30.00 | Mtr | 143 | 4290.00 |
| 29/i-1) | (i) CPVC Pipes Class-1, SDR-11 | | | | |
| | (Dia 20mm) | | | | |
| 27.(p- | Supplying, fitting and fixing 10 litre P.V.C. | 1 | Each | 1015 | 1015.00 |
| 36/i-2) | low-down cistern conforming to | | | | |
| | I.S. specification with P.V.C. fittings | | | | |
| | complete etc. | | | | |
| 28.(p-45 | Supplying, fitting and fixing pillar cock of | 2 | Each | 555 | 1110.00 |
| /i-19(a)) | approved make. | | | | |
| | a) (i) CP Pillar Cock - 15 mm. (Equivalent to | | | | |
| | Code No. 507 & Model - | | | | |
| | Tropical / Sumthing Special of ESSCO or | | | | |
| | similar brand). | | | | |
| 29.(p-4 | Chromium plated Hand shower with Flexible | 1 | Each | 2390 | 2390.00 |
| /i-3(d)) | Tube & | | | | |
| | fittings(Equivalent to Code No. Hsh-1937 & | | | | |
| | (Equivalent to Code No. 5037 | | | | |
| | & Model - Florentine of Jaquar or similar)). | | | C/F | 244726.00 |
| | ······································ | | 1 | 1 | |

| | Model - Tropical / Sumthing Special of | | | | |
|------------|--|----------------------------|-------|-----------------------|------------|
| | ESSCO or similar brand) | | | | |
| 31.(p-6/i- | (d) (i) Chromium plated angular Stop Cock | 4 | Each | 815 | 3260.00 |
| 7) | with wall flange (Equivalent | | | | |
| | to Code No. 5053 & Model - Florentine of Jaquar or similar brand). | | | | |
| 32.(p-6 | Chromium plated concealed Stop Cock heavy | 4 | Each | 953 | 3812.00 |
| /i-7) | duty (Equivalent to | | | | |
| | Code No. 5083 & Model - Florentine of | | | | |
| | Jaquar or similar brand). | | | | |
| 33. | Supplying, Fitting & Fixing Exhaust Fan of | 2 | Each | 50000 | 10000 |
| | Approved make and brand including all | | | | |
| | labour charges. | | | | |
| | i)Dia 250mm | | | | 0.00446.00 |
| | | Total | Total | | 263116.00 |
| | | Add GST 12% Add CESS 1% | | 31574.00 294690.00 | |
| | | | | | |
| | | | | 2947.00 | |
| | | Grand Total | | 297637.00 | |

(Rs. Two Lakhs Ninety Seven Thousand Six Hundred And Thirty Seven Only)

DEADLINE : MONDAY, SEPTEMBER 23, 2019 3:00 pm.

Quotations are to be dropped into the tender submission box at the office of the Principal.

Prof. Manideep Chandra

Principal.

September 14, 2019.